


Children's and Young Persons' Unit 01493 452010

Using a spacer device for older children and adolescents



Information for parents/carers

Inhalers

The main treatment for wheezing is the use of inhaled medication. The most common types of inhaler that we use are:

- Salbutamol (Ventolin)
- Atrovent (Ipratroprium bromide)

Inhaled medicines allow delivery of treatment directly to the airways.

- Salbutamol works almost immediately, and the effects last for about four to six hours.
- Ipratropium bromide takes a little longer to work, about 30 minutes, but the effects will last for six to eight hours.

Why spacers are important?

Using spacers is proven to be a very effective way of delivering inhaled medication. Spacers make it easier to deliver inhaled medication to the lungs and you will get more of the medication into the lungs than using inhalers on their own. They reduce the amount of medication wasted by swallowing (therefore reducing side effects) and ineffective inhaler technique.

Before you are discharged from hospital a nurse will teach you how to use the inhaled medication via a spacer device, if it is required at home. These are the main types of spacer we use:





A spacer has a mouthpiece at one end and a hole for the inhaler at the other. Those with learning difficulties and poor co-ordination may find a mask easier to use than a mouth piece.

Step-by-step guide of how to use a spacer

1.	Shake inhaler well before use.	
2.	Remove cap from the inhaler and spacer if it has one. If your spacer is in two parts you need to assemble it.	
3.	Place inhaler into spacer.	
4.	Place mouthpiece into your mouth, between your teeth. Close your lips firmly around the mouthpiece. Make sure your lips cover the entire mouthpiece so there are no gaps, and make sure that when you breathe in and out, no air escapes from the sides of your mouth.	
5.	Press the top of the inhaler once.	
6.	Keeping a good seal around the mouthpiece take five deep breaths in through your mouth for each puff of medication.	
7.	Shake the inhaler between every puff.	

Inhaled medications are a vital part of treatment for many different breathing problems, but if they are not delivered effectively, they will not work as well as they should. Following the simple steps explained in this leaflet will ensure you get your medication effectively.

Cleaning your spacer

You will need to wash your spacer once a month using washing-up liquid. Don't scrub the inside of the spacer as this affects the way it works. Leave it to air-dry as this helps to prevent the medicine sticking to the sides of the chamber and reduces the static. Wipe the mouthpiece clean before you use it again. Don't worry if your spacer looks cloudy that doesn't mean it's dirty.

Your spacer should be replaced at least every year, especially if you use it daily, but some may need to be replaced sooner.

If you have any questions please do not hesitate to ask your nurse or doctor. You can contact ward 10 for any advice on 01493 452010.

Feedback

We want your visit to be as comfortable as possible. Please talk to the person in charge if you have any concerns. If the ward/department staff are unable to resolve your concern, please ask for our Patient Advice and Liaison (PALS) information. Please be assured that raising a concern will not impact on your care. Before you leave the hospital you will be asked to complete a Friends and Family Test feedback card. Providing your feedback is vital in helping to transform NHS services and to support patient choice.

Trust Values

Courtesy and respect

- · A welcoming and positive attitude
- Polite, friendly and interested in people
- Value and respect people as individuals So people feel welcome

Attentively kind and helpful

- Look out for dignity, privacy & humanity
- Attentive, responsive & take time to help
- Visible presence of staff to provide care So people feel cared for

Responsive communication

- Listen to people & answer their questions
- Keep people clearly informed
- Involve people So people feel in control

Effective and professional

- Safe, knowledgeable and reassuring
- Effective care / services from joined up teams
- Organised and timely, looking to improve So people feel safe



IN The hospital can arrange for an interpreter or person to sign to assist you in TRAN communicating effectively with staff during your stay. Please let us know.

For a large print version of this leaflet, contact PALS 01493 453240

Author: Saskia Van Branteghem, Staff Nurse Children's and Young Persons' Unit

© December 2015 Revised January 2019 James Paget University Hospitals NHS Foundation Trust Review Date: January 2022 CH 15a version 2