TIA pathway Patient presents to GP **Transient symptoms Transient symptoms** or A&E with suspected likely to be TIA unlikely to be TIA TIA (symptoms lasting <24h) **Unilateral weakness** Loss of consciousness (face, arm or leg) Transient global **Unilateral sensory** amnesia disturbance (eg face, Positive visual whole arm or leg) symptoms (eg flashing Symptoms **Visual loss** completely lights) resolved when Speech disturbance seen? No Yes Not completely Initial assessment resolved to include ABCD2 score possible stroke High risk features **Admit EADU** 999 No Yes Initial management Aspirin 300mg od (unless on warfarin) Simvastatin 40mg od High risk patients If allergy to aspirin ABCD2 score ≥4 give clopidogrel 75mg Multiple events in **DVLA rules** short time Stop driving **Driving** (crescendo TIA) for minimum TIA on warfarin advice 1 month Give aspirin 300mg Investigation and (unless on warfarin) Referral Admit EADU for **ECG** urgent assessment FBC, ESR, U&E, LFT Random glucose Cholesterol Fax referral form same day to fast track TIA service Further investigation 01493 453325 and management Carotid dopplers Seen in OPD <7 days CT, Echo, 24h tape where appropriate Anticoagulation where appropriate